



100 New Britain Blvd
Chalfont, PA 18914
Tel: 215-997-8989
E-mail: datacap@dcap.com

dsiPDCX

XML Definitions

V00.01

Preliminary

Notice:

This document contains information proprietary to Datacap Systems Inc.
The only acceptable use for the information contained herein is to
interface third party systems exclusively to Datacap's Tran™ and ePay™ server products.
Any other use is strictly prohibited.

Copyright © 2010 – Datacap Systems Inc.

Copyright Notice

Copyright © 2010 – Datacap Systems Inc.
100 New Britain Blvd.
Chalfont, Pennsylvania 18914 USA
All rights reserved.

Notice

This document contains information proprietary to Datacap Systems Inc. The only acceptable use for the information contained herein is to interface third party systems exclusively to Datacap's ePay server products. Any other use is strictly prohibited.

The DSIClientX™, DSIEMVClientX™, dsiPDCX™, DataTran™, NETePay™, DIALePay™, GIFTePay™, ePay™, ePay Administrator™, DataTran™, DialTran™, IPTran™, TwinTran™ and Datacap names and logos and all related trademarks, tradenames, and other intellectual property are the property of Datacap Systems Inc. and cannot be used without its express prior written permission.

Revision History

00.01 06 Dec 2010 • Preliminary Draft Release.

Table Of Contents

1.0 Introduction	5
1.1 <i>System Diagram and Card Data Flow Using dsiPDCX</i>	Error! Bookmark not defined.
2.0 Integration of dsiPDCX	5
2.1 Initialization	5
2.2 Processing Transaction Requests	Error! Bookmark not defined.
2.3 Canadian Debit Requests	Error! Bookmark not defined.
3.0 XML Transaction Requests	6
4.0 <i>XML Document Type Definitions (DTDs)</i>	7
4.01 <i>TStream</i>	7
4.02 <i>RStream</i>	13

1.0 Introduction

This documents the XML definitions for Datacap Systems' dsiPDCX Windows ActiveX control at the time of publication.

2.0 Integration of dsiPDCX

2.1 Initialization

XML Template: **SecureDeviceInit Request**

```
<?xml version="1.0"?>
<TStream>
  <Admin>
    <IpAddress>999.999.999.999</IpAddress>
    <IpPort>99999</IpPort>
    <MerchantID>MerchantID</MerchantID>
    <TerminalID>TerminalID</TerminalID>
    <OperatorID>OperatorID</OperatorID>
    <TranCode>SecureDeviceInit</TranCode>
    <SecureDevice>SecureDevice</SecureDevice>
    <ComPort>ComPort</ComPort>
    <SequenceNo>SequenceNo</SequenceNo>
    <TerminalName>TerminalName</TerminalName>
    <ShiftID>ShiftID</ShiftID>
    <Signature>Signature</Signature>
  </Admin>
</TStream>
```

3.0 XML Transaction Requests

XML Template: **Credit Sale**

```
<?xml version="1.0"?>
<TStream>
  <Transaction>
    <IpAddress>999.999.999.999</IpAddress>
    <IpPort>99999</IpPort>
    <MerchantID>MerchantID</MerchantID>
    <TerminalID>TerminalID</TerminalID>
    <OperatorID>OperatorID</OperatorID>
    <TranType>Credit</TranType>
    <Duplicate>Override</Duplicate>
    <CardType>CardType</CardType>
    <TranCode>Sale</TranCode>
    <SecureDevice>SecureDevice</SecureDevice>
    <ComPort>ComPort</ComPort>
    <InvoiceNo>InvoiceNo</InvoiceNo>
    <RefNo>RefNo</RefNo>
    <PartialAuth>PartialAuth</PartialAuth>
    <Account>
      <AcctNo>SecureDevice</AcctNo>
    </Account>
    <Amount>
      <Purchase>Purchase</Purchase>
      <Tax>Tax</Tax>
    </Amount>
    <SequenceNo>SequenceNo</SequenceNo>
    <AVS>
      <Address>Address</Address>
      <Zip>Zip</Zip>
    </AVS>
    <CVVData>CVVData</CVVData>
    <SequenceNo>SequenceNo</SequenceNo>
    <TerminalName>TerminalName</TerminalName>
    <ShiftID>ShiftID</ShiftID>
    <Signature>Signature</Signature>
    <TranInfo>
      <CustomerCode>CustomerCode</CustomerCode>
    </TranInfo>
  </Transaction>
</TStream>
```

4.0 XML Document Type Definitions (DTDs)

4.01 TStream

```
<?xml version="1.0"?>

<!DOCTYPE TStream [

<!-- TStream is the document request message template
-->

<!ELEMENT TStream (Transaction | Admin)*>

<!ELEMENT Transaction (
    IPAddress?,
    IpPort?,
    MerchantID,
    TerminalID?,
    OperatorID?,
    DateTime?,
    TranType,
    PadType?,
    Format?,
    CardType?,
    TranCode,
    SecureDevice?,
    ComPort?,
    Duplicate?,
    InvoiceNo,
    Memo?,
    RefNo,
    PartialAuth?,
    Account,
    Amount,
    Points?,
    AVS?,
    CVVData?,
    PIN?,
    SequenceNo?,
    TerminalName?,
    ShiftID?,
    Signature?,
    TranInfo?,
    DemographicInfo?
)>

<!ELEMENT Admin (
    IPAddress?,
    IpPort?,
    MerchantID,
    TerminalID?,
    OperatorID?,
```

```

TranType?,
TranCode,
SecureDevice?,
ComPort?,
InvoiceNo?,
RefNo?,
Account?,
Amount?,
TerminalName?,
ShiftID?,
Signature?,
TranInfo?,
BatchInfo?
)>

<!ELEMENT IpAddress (#PCDATA)>
<!ELEMENT IpPort (#PCDATA)>
<!ELEMENT MerchantID (#PCDATA)>
<!ELEMENT TerminalID (#PCDATA)>
<!ELEMENT DateTime (Date, Time)>
<!ELEMENT Date (#PCDATA)>
<!ELEMENT Time (#PCDATA)>
<!ELEMENT TranType (#PCDATA)>
<!ELEMENT PadType (#PCDATA)>
<!ELEMENT Format (#PCDATA)>
<!ELEMENT CardType (#PCDATA)>
<!ELEMENT TranCode (#PCDATA)>
<!ELEMENT SecureDevice (#PCDATA)>
<!ELEMENT ComPort (#PCDATA)>
<!ELEMENT Duplicate (#PCDATA)>
<!ELEMENT InvoiceNo (#PCDATA)>
<!ELEMENT OperatorID (#PCDATA)>
<!ELEMENT Memo (#PCDATA)>
<!ELEMENT RefNo (#PCDATA)>
<!ELEMENT Account ((Name?, Track2) | (Name?, AcctNo, ExpDate))>
<!ELEMENT Name (#PCDATA)>
<!ELEMENT Track2 (#PCDATA)>
<!ELEMENT AcctNo (#PCDATA)>
<!ELEMENT ExpDate (#PCDATA)>
<!ELEMENT Amount (
Purchase,

```

```

CashBack?,
Authorize?,
Gratuiity?,
Tax?,
FSAPrescription?,
FSAVision?,
FSAClinical?,
FSADental?
)>

<!ELEMENT Purchase (#PCDATA)>
<!ELEMENT CashBack (#PCDATA)>
<!ELEMENT Authorize (#PCDATA)>
<!ELEMENT Gratuity (#PCDATA)>
<!ELEMENT Tax (#PCDATA)>

<!ELEMENT Points (#PCDATA)>

<!ELEMENT Items (
Points,
Units,
Price,
PromoID,
Desc?,

Points2?,
Units2?,
Price2?,
PromoID2?,
Desc2?,

Points3?,
Units3?,
Price3?,
PromoID3?,
Desc3?,

Points4?,
Units4?,
Price4?,
PromoID4?,
Desc4?,

Points5?,
Units5?,
Price5?,
PromoID5?,
Desc5?,

Points6?,
Units6?,
Price6?,
PromoID6?,
Desc6?,

Points7?,
Units7?,
Price7?,

```

```

        PromoID7?,
        Desc7?,

        Points8?,
        Units8?,
        Price8?,
        PromoID8?,
        Desc8?
    )>

```

```

<!ELEMENT Points #PCDATA)
<!ELEMENT Units #PCDATA)
<!ELEMENT Price #PCDATA)
<!ELEMENT PromoID #PCDATA)
<!ELEMENT Desc #PCDATA)

```

```

<!ELEMENT Points2 #PCDATA)
<!ELEMENT Units2 #PCDATA)
<!ELEMENT Price2 #PCDATA)
<!ELEMENT PromoID2 #PCDATA)
<!ELEMENT Desc2 #PCDATA)

```

```

<!ELEMENT Points3 #PCDATA)
<!ELEMENT Units3 #PCDATA)
<!ELEMENT Price3 #PCDATA)
<!ELEMENT PromoID3 #PCDATA)
<!ELEMENT Desc3 #PCDATA)

```

```

<!ELEMENT Points4 #PCDATA)
<!ELEMENT Units4 #PCDATA)
<!ELEMENT Price4 #PCDATA)
<!ELEMENT PromoID4 #PCDATA)
<!ELEMENT Desc4 #PCDATA)

```

```

<!ELEMENT Points5 #PCDATA)
<!ELEMENT Units5 #PCDATA)
<!ELEMENT Price5 #PCDATA)
<!ELEMENT PromoID5 #PCDATA)
<!ELEMENT Desc5 #PCDATA)

```

```

<!ELEMENT Points6 #PCDATA)
<!ELEMENT Units6 #PCDATA)
<!ELEMENT Price6 #PCDATA)
<!ELEMENT PromoID6 #PCDATA)
<!ELEMENT Desc6 #PCDATA)

```

```

<!ELEMENT Points7 #PCDATA)
<!ELEMENT Units7 #PCDATA)
<!ELEMENT Price7 #PCDATA)
<!ELEMENT PromoID7 #PCDATA)
<!ELEMENT Desc7 #PCDATA)

```

```

<!ELEMENT Points8 #PCDATA)
<!ELEMENT Units8 #PCDATA)
<!ELEMENT Price8 #PCDATA)
<!ELEMENT PromoID8 #PCDATA)
<!ELEMENT Desc8 #PCDATA)

```

```

<!ELEMENT   AVS                               (
    Address,
    Zip)
>
<!ELEMENT   Address                           (#PCDATA)>
<!ELEMENT   Zip                               (#PCDATA)>

<!ELEMENT   CVVData                           (#PCDATA)>

<!ELEMENT   SequenceNo                        (#PCDATA)>

<!ELEMENT   PIN                               (
    PINBlock,
    DervdKey
)>

<!ELEMENT   PINBlock                          (#PCDATA)>
<!ELEMENT   DervdKey                           (#PCDATA)>

<!ELEMENT   TranInfo                          (
    AuthCode?,
    AcqRefData?,
    CVVResult?,
    AVSResult?,
    CustomerCode?
)>

<!ELEMENT   AuthCode                          (#PCDATA)>
<!ELEMENT   Memo                              (#PCDATA)>
<!ELEMENT   AcqRefData                         (#PCDATA)>
<!ELEMENT   RecordNo                          (#PCDATA)>
<!ELEMENT   CVVResult                          (#PCDATA)>
<!ELEMENT   AVSResult                          (#PCDATA)>
<!ELEMENT   CustomerCode                       (#PCDATA)>

<!ELEMENT   DemographicInfo                   (
    CustEmail?,
    CustName?,
    CustPhone?,
    CustAddr1?,
    CustAddr2?,
    CustCity?,
    CustState?,
    CustZip?,
    CustLanguage?
)>

<!ELEMENT   CustEmail                          (#PCDATA)>
<!ELEMENT   CustName                           (#PCDATA)>
<!ELEMENT   CustPhone                          (#PCDATA)>
<!ELEMENT   CustAddr1                          (#PCDATA)>
<!ELEMENT   CustAddr2                          (#PCDATA)>
<!ELEMENT   CustState                          (#PCDATA)>
<!ELEMENT   CustZip                            (#PCDATA)>
<!ELEMENT   CustLanguage                       (#PCDATA)>

<!ELEMENT   Purchase                           (#PCDATA)>

```

```
<!ELEMENT TerminalName (#PCDATA)>
<!ELEMENT ShiftID (#PCDATA)>
<!ELEMENT Signature (#PCDATA)>

<!ELEMENT BatchNo (#PCDATA)>
<!ELEMENT BatchItemCount (#PCDATA)>
<!ELEMENT NetBatchTotal (#PCDATA)>
<!ELEMENT CreditPurchaseCount (#PCDATA)>
<!ELEMENT CreditPurchaseAmount (#PCDATA)>
<!ELEMENT CreditReturnCount (#PCDATA)>
<!ELEMENT CreditReturnAmount (#PCDATA)>
<!ELEMENT DebitPurchaseCount (#PCDATA)>
<!ELEMENT DebitPurchaseAmount (#PCDATA)>
<!ELEMENT DebitReturnCount (#PCDATA)>
<!ELEMENT DebitReturnAmount (#PCDATA)>

]>

<TStream>
</TStream>
```

4.02 RStream

```
<?xml version="1.0"?>

<!-- RStream is the document response message template
-->

<!DOCTYPE RStream [

<!ELEMENT RStream (

CmdResponse |
(CmdResponse, TranResponse) |
(CmdResponse, TranResponse, PrintData) |
(CmdResponse, TranResponse, ItemBalances, PrintData) |
(CmdResponse, BatchClose) |
(CmdResponse, BatchSummary) |
(CmdResponse, ItemDetail) |
(CmdResponse, BatchClear) |
(CmdResponse, ServerVersion)

)*>

<!-- CmdResponse Element -->

<!ELEMENT CmdResponse (

ResponseOrigin,
DSIXReturnCode,
CmdStatus,
TextResponse,
IpAddress?,
UserTraceData?,
SequenceNo?

)>

<!-- TranResponse Element -->

<!ELEMENT TranResponse (

MerchantID,
TerminalID?,
AcctNo,
ExpDate?,
CardType,
Selection?,
TranCode,
AuthCode?,
CaptureStatus?,
RefNo,
InvoiceNo?,
OperatorID?,
Memo?,
Amount,
```

```
        AVSResult?,
        CVVResult?,
        AcqRefData?,
        PrePaidExp?,
        BankRespCode?,
        ISORespCode?,
        TranDate?,
        TranTime?,
    )>
```

```
<!-- ItemBalances Element -->
```

```
<!ELEMENT   ItemBalances (
    TotalPoints,
    TotalUnits,
    TotalPrice,
    TotalPoints2?,
    TotalUnits2?,
    TotalPrice2?,
    TotalPoints3?,
    TotalUnits3?,
    TotalPrice3?,
    TotalPoints4?,
    TotalUnits4?,
    TotalPrice4?,
    TotalPoints5?,
    TotalUnits5?,
    TotalPrice5?,
    TotalPoints6?,
    TotalUnits6?,
    TotalPrice6?,
    TotalPoints7?,
    TotalUnits7?,
    TotalPrice7?,
    TotalPoints8?,
    TotalUnits8?,
    TotalPrice8?
)>
```

```
<!-- PrintData Element -->
```

```
<!ELEMENT   PrintData (
    Line1,
    Line2,
    Line3,
    Line4,
    Line5,
    Line6,
    Line7,
    Line8,
    Line9,
    Line10,
    Line11,
    Line12,
)
```

```

        Line13
    )>

<!-- BatchClose Element -->
<!ELEMENT BatchClose (
    MerchantID,
    TerminalID?,
    BatchNo,
    BatchNumber?,
    BatchItemCount,
    NetBatchTotal,
    CreditPurchaseCount?,
    CreditPurchaseAmount?,
    CreditReturnCount?,
    CreditReturnAmount?,
    DebitPurchaseCount?,
    DebitPurchaseAmount?,
    DebitReturnCount?,
    DebitReturnAmount?,
    ControlNo?
)>

<!-- BatchSummary Element -->
<!ELEMENT BatchSummary (
    MerchantID,
    TerminalID?,
    BatchNo,
    BatchNumber?,
    BatchItemCount,
    NetBatchTotal,
    CreditPurchaseCount?,
    CreditPurchaseAmount?,
    CreditReturnCount?,
    CreditReturnAmount?,
    DebitPurchaseCount?,
    DebitPurchaseAmount?,
    DebitReturnCount?,
    DebitReturnAmount?
)>

<!-- BatchClear Element -->
<!ELEMENT BatchClear (
    MerchantID,
    TerminalID?,
    BatchNo,
    BatchNumber?,
    BatchItemCount,
    ControlNo?
)>

```

<!-- ServerVersion Element -->

```
<!ELEMENT ServerVersion (
    ProductName,
    ProductClass,
    Provider,
    ProductVersion
)>
```

<!-- ItemDetail Element -->

```
<!ELEMENT ItemDetail (
    MerchantID,
    TerminalID?,
    BatchNo,
    TranDate?,
    TranTime?,
    AcctNo,
    ExpDate?,
    ItemAmount1,
    ItemAmount2?,
    AuthCode?,
    RefNo?
)>
```

```
<!ELEMENT Amount (
    Purchase,
    Purchase1?,
    Purchase2?,
    Purchase3?,
    Purchase4?,
    Purchase5?,
    Purchase6?,
    Purchase7?,
    Purchase8?,
    CashBack?,
    Authorize?,
    Gratuity?,
    Tax?,
    FSAPrescription?,
    FSASVision?,
    FSAClinical?,
    FSADental?
)>
```

```
<!ELEMENT Value (
    Points1,
    Points2?,
    Points3?,
    Points4?,
    Points5?,
    Points6?,
    Points7?,
    Points8?,
)>
```

```

<!ELEMENT ResponseOrigin (#PCDATA)>
<!ELEMENT DSIXReturnCode (#PCDATA)>
<!ELEMENT TextResponse (#PCDATA)>
<!ELEMENT IPAddress (#PCDATA)>
<!ELEMENT MerchantID (#PCDATA)>
<!ELEMENT TerminalID (#PCDATA)>
<!ELEMENT SequenceNo (#PCDATA)>
<!ELEMENT AcctNo (#PCDATA)>
<!ELEMENT ExpDate (#PCDATA)>
<!ELEMENT CardType (#PCDATA)>
<!ELEMENT Selection (#PCDATA)>
<!ELEMENT TranCode (#PCDATA)>
<!ELEMENT AuthCode (#PCDATA)>
<!ELEMENT CaptureStatus (#PCDATA)>
<!ELEMENT RefNo (#PCDATA)>
<!ELEMENT InvoiceNo (#PCDATA)>
<!ELEMENT OperatorID (#PCDATA)>
<!ELEMENT Memo (#PCDATA)>
<!ELEMENT Purchase (#PCDATA)>
<!ELEMENT CashBack (#PCDATA)>
<!ELEMENT Authorize (#PCDATA)>
<!ELEMENT Gratuity (#PCDATA)>
<!ELEMENT Balance (#PCDATA)>
<!ELEMENT UserTraceData (#PCDATA)>
<!ELEMENT AVSResult (#PCDATA)>
<!ELEMENT CVVResult (#PCDATA)>
<!ELEMENT AcqRefData (#PCDATA)>
<!ELEMENT RecordNo (#PCDATA)>
<!ELEMENT PrePaidExp (#PCDATA)>
<!ELEMENT BankRespCode (#PCDATA)>
<!ELEMENT ISORespCode (#PCDATA)>
<!ELEMENT ControlNo (#PCDATA)>
<!ELEMENT TranDate (#PCDATA)>
<!ELEMENT TranTime (#PCDATA)>
<!ELEMENT ItemAmount1 (#PCDATA)>
<!ELEMENT ItemAmount2 (#PCDATA)>
<!ELEMENT BatchItemCount (#PCDATA)>
<!ELEMENT NetBatchTotal (#PCDATA)>
<!ELEMENT CreditPurchaseCount (#PCDATA)>
<!ELEMENT CreditPurchaseAmount (#PCDATA)>
<!ELEMENT CreditReturnCount (#PCDATA)>
<!ELEMENT CreditReturnAmount (#PCDATA)>
<!ELEMENT DebitPurchaseCount (#PCDATA)>
<!ELEMENT DebitPurchaseAmount (#PCDATA)>
<!ELEMENT DebitReturnCount (#PCDATA)>
<!ELEMENT DebitReturnAmount (#PCDATA)>
<!ELEMENT BatchNo (#PCDATA)>
<!ELEMENT ProductName (#PCDATA)>
<!ELEMENT ProductClass (#PCDATA)>
<!ELEMENT Provider (#PCDATA)>
<!ELEMENT ProductVersion (#PCDATA)>

```

]>

```

<RStream>
</RStream>

```